


$$\frac{1}{2} = \frac{1}{2}$$

BEST AVAILABLE COPY


SUBSTITUTE SHEET (RULE 26)

2/50

Hypothetical model of the HCV replication cycle

~~FIG - 2~~


3/50



10 523602

4 / 50


PBMC and PBLC purification from blood samples.

FIG - 4

10-523602


5/50

**Detection of HCV NS3 and NS5 proteins in cell extracts from Treated PBM C from an HCV (+) patient.
[Boeringanti-NS3 polyclonal antibody]**



10/523602


6/50



10 523602

7/50


Time course of HCV-NS3 detection:
PBMCS From patient MLL-001



10,523602

8/50


Time course HCV-NS3 detection:
PBMCS from patient MLL-002



101523602

9/50


**Detection of HCV-NS3 protein in treated (N3)
PBMCs from HCV9+) donors**



10 523602

10/50

Detection of virus like particles by scanning electron microscopy




(-) Control

100nm


10 / 523602

11/50

Electron microscopy of Activated PBLCs;
Detection of virus like particles



200 nm




200 nm

FIGURE - 11

10-523602

12 / 50


Virus partial purification.

12

10,523602

13/50

Detection of HCV Core protein in supernatant of treated PBMC from an HCV (+) patient.
[Maine biotechnology anti-Core monoclonal antibody]



10 · 523602

14/50

RNA Quantification I (virus copies/ng total RNA)


| Patient | HCV RNA In PBMC | Detection of Core (wb) in supernatant |
|----------------------|--------------------|---|
| <u>After 4 days</u> | | |
| SB004 NT | 2×10^3 | No |
| SB004 T | 2×10^3 | Yes |
| <u>After 20 days</u> | | |
| SB006 NT | 1.8×10^3 | No |
| SB006 T | 2×10^2 | Yes |
| SB004 | 0.00 | |
| SB006 | 0.00 | |

~~Test~~ - 14

10 / 523602

15 / 50

Infection assay; co-culture

FIG - 15

10,523,602

16/50


Infection of MT-4 cells
RNA Quantification II (virus copies/ng total RNA)

| Patient | Detection of Core | | HCV RNA In MT-4 |
|----------------------|--------------------|------------------------|--------------------|
| | HCV RNA In PBMC | (wb) in supernatant | |
| <u>After 10 days</u> | | | |
| SB001 NT | 13 | No | 0.00 |
| SB001 T | 12 | Yes | 1,600 |
| <u>After 20 days</u> | | | |
| SB001 | 0.00 | | 0.00 |
| SB001 | 0.00 | | 0.00 |
| | | | <u>16</u> |

10,523,602

17/50

Co-culture of Huh-7 and HCV (-) PBMCs.




- 1- Huh-7
- 2- Huh-7 + PBMCs HCV (-) NT
- 3- Huh-7 + Treatment
- 4- Huh-7 + PBMCs HCV (-) T

FIGURE - 17

10 / 523602

18/50

Co-culture of Huh-7 and HCV (+) PBMS[®] CS (SB006).


1. Huh-7
- 2-3. Huh-7 + PBMCs HCV (+) NT
4. Huh-7 + Treatment
- 5-6. Huh-7 + PBMCs HCV (+) T

7-8 - 18

10/523602

19/50


PHA Activation of PBMCS from patient SB004;
HCV is not in T cells

FIG-19

10523602


20 / 50

**Detection of HCV (E2) on Daudi cells
Upon co-cultivation with infected PBMCs.**

FIG - 20

10 / 523602


Comparison of different activation treatments; PBMCS from donor MLL-010



10/523602

22 / 50

Viral RNA in cell supernatant (Real time RT-PCR).





SB005

~~7-17-22~~


23 / 50

101523602

FIG. 23 AFIG. 23 B


JU 1523602

24 / 50



- 235


25 / 50



750 - 230


10/523602

26 / 50




10/523602

27/50

~~FIG - 24 D~~

MLL-012




Days

NS3

~~FIG - 24 E~~

MLL-001




NS3

LC

~~FIG - 24 F~~

MLL-002



Days

NS3

LC

Huh⁷+Rep

MLL-010

2 4 8 10 12 Days

Days




NS3

F-Actin

~~FIG - 24 G~~~~FIG - 24 H~~


10 / 523602

28 / 50

FIG - 24 IFIG - 24 J




10 / 523602

29 / 50

~~FIG - 25~~



10,523,602

30 / 50

~~FIG - 26A~~~~FIG - 26B~~~~FIG - 26C~~



10 / 523602

31 / 50

FIG - 26DFIG - 26E


101523602

32 / 50

FIG-26FFIG-26G

10/523602

33 / 50



10 / 523602

34 / 50




FIG-27A

MT-4 extracts

| MT-4 | HCV(-)1 | | HCV(-)2 | | SB-2 | | SB-7 | | co-culture | |
|------|---------|---|---------|---|------|---|------|---|------------|---|
| | N | P | N | P | N | P | N | P | N | P |
| 1 | — | — | — | — | — | — | — | — | — | — |
| 2 | — | — | — | — | — | — | — | — | — | — |
| 3 | — | — | — | — | — | — | — | — | — | — |
| 4 | — | — | — | — | — | — | — | — | — | — |
| 5 | — | — | — | — | — | — | — | — | — | — |
| 6 | — | — | — | — | — | — | — | — | — | — |
| 7 | — | — | — | — | — | — | — | — | — | — |
| 8 | — | — | — | — | — | — | — | — | — | — |
| 9 | — | — | — | — | — | — | — | — | — | — |
| 10 | — | — | — | — | — | — | — | — | — | — |


— NS3

— LC

FIG-27B

10,523,602


35 / 50



- 28 -


10/523602

36/50



10/523602

37/50



10/523602

38/50

MLL031 + MLL 032

HCV(+) N/A


IP mAb 5B WB mAb 5B

NS5B IgG

TELE-31

10/523602


Phase Dapi Anti-Core

Phase/Dapi/Anti-Core
Dapi/Anti-Core

757 - 32

10/523602


40/50

~~TELE~~ - 33


10/523602

41/50

Anti-Core



Dapi



Phase



Phase/Dapi/Anti-Core





Dapi/Anti-Core



FIG - 34

10/523602

Phase
Dapi
Anti-CoreDapi/Anti-Core
Phase/Dapi/Anti-Core

10/523602

43/50

36 C36 B36 A

10/523602

44/50




FIG. 37



45/ 50

Virus partial purification.



10/523602

46/50


| Density Range (g/ml) | Source | Reference |
|-------------------------|------------------------|-------------------------------|
| 1.15-1.20 | HCV-LP in VSV vector | J.Virol (2002) 76, 12325. |
| 1.14-1.18 | HCV-LP in insect cells | J. Virol (1998) 72, 3827. |
| 1.12-1.17 | Plasma chimps | J. Gen. Virol (1994) 75, 1755 |
| 1.09-1.21 | Plasma chimps | J.Med. Virol (1991), 34, 206. |
| 1.13-1.17 | Plasma chimps | J.Virol (1993) 67, 1953 |
| 1.063-1.21 | Serum infected donors | J Med Virol (2002) 68, 335 |
| 1.11-1.215 | HCV(+) PBMCS | ----- |

7575 - 39

10/523602


47/50

Western Blot

Frac. (5-11)
Frac. (1-4)

10/523602

48 / 50



10/523602

49/50

| | Days of treatment | | | | | | | |
|----------|-------------------|---|--------------------|---|---|---|---|---|
| | P+S | | P+S/ α -Inf | | | | | |
| | 1 | 3 | 5 | 7 | 1 | 3 | 5 | 7 |
| MLL-0015 | | | | | | | | |

NS3

755-42

50/50

| Days of treatment | HCV 1a | |
|-------------------|--------|----------------|
| | PHA | PHA/COMPOUND X |
| 1 | Low | Low |
| 3 | High | Medium |
| 5 | Medium | High |
| 7 | Medium | Medium |

COMPOUND X: 100 μ M m α -NS3 1G3D2

TELE - 43

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS**
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- FADED TEXT OR DRAWING**
- BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- SKEWED/SLANTED IMAGES**
- COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- GRAY SCALE DOCUMENTS**
- LINES OR MARKS ON ORIGINAL DOCUMENT**
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.